

Passenger



Premium H & V-Rated

- Efficiently moves water out of tread contact area for wet/winter handling and traction
- Spiral wound nylon overwrap improves uniformity and appearance
- Capable of sustaining speeds up to 130 or 149 mph

American Platinum

AMERICAN RADIALS

ITEM #	SIZE	SIDE WALL	COMMODITY CODE	UTQG	RIM WIDTH RANGE	SECTION WIDTH on MEASURING RIM WIDTH	OVERALL DIAMETER	TREAD DEPTH/32 ^{nds}
H-RATED								
C62917	185/65R15 88H	RBL	W112JUF454	420 AA	5.0 - 6.5	7.83 on 5.5	24.45	11.0
C62918	195/65R15 91H	RBL	W112JUF554	420 AA	5.5 - 7.0	8.02 on 6.0	24.97	11.0
C62919	205/65R15 94H	RBL	W112JUF654	420 AA	5.5 - 7.5	8.34 on 6.0	25.41	11.0
C62920	185/60R14 82H	RBL	W112JUE444	420 AA	5.5 - 6.5	7.48 on 5.5	22.73	11.0
C62921	195/60R14 86H	RBL	W112JUE544	420 AA	5.5 - 7.0	7.97 on 6.0	23.20	11.0
C62922	195/60R15 88H	RBL	W112JUE554	420 AA	5.5 - 7.0	8.03 on 6.0	24.20	11.0
C62923	205/60R15 91H	RBL	W112JUE654	420 AA	5.5 - 7.5	8.29 on 6.0	24.65	11.0
C62924	225/60R15 96H	RBL	W112JUE854	420 AA	6.0 - 8.0	8.97 on 6.5	25.56	11.0
C62925	205/60R16 92H	RBL	W112JUE664	420 AA	5.5 - 7.5	8.49 on 6.0	25.65	11.0
C62926	225/60R16 98H	RBL	W112JUE864	420 AA	6.0 - 8.0	9.08 on 6.5	26.56	11.0
C62927	235/60R16 100H	RBL	W112JUE964	420 AA	6.5 - 8.5	9.52 on 7.0	27.10	11.0
C62928	205/55R16 91H	RBL	W112JUG664	420 AA	5.5 - 7.5	8.95 on 6.5	24.86	11.0
C62929	215/55R16 93H	RBL	W112JUG764	420 AA	6.0 - 7.5	8.87 on 7.0	25.27	11.0
C62930	225/55R16 95H	RBL	W112JUG864	420 AA	6.0 - 8.0	9.29 on 7.0	25.77	11.0
C62931	235/55R17 99H	RBL	W112JUG974	420 AA	6.5 - 8.5	9.94 on 7.5	27.15	11.0
C62932	205/50R16 87H	RBL	W112JUH664	420 AA	5.5 - 7.5	8.32 on 6.5	24.09	11.0
V-RATED								
C62933	205/60R16 92V	RBL	W112JTE664	360 AA	5.5 - 7.5	8.40 on 6.0	25.65	11.0
C62934	195/55R15 85V	RBL	W112JTG554	360 AA	5.5 - 7.0	7.92 on 6.0	23.43	11.0
C62935	215/55R17 94V	RBL	W112JTG774	360 AA	6.0 - 7.5	9.46 on 7.0	26.31	11.0
C62936	215/50R16 90V	RBL	W112JTH764	360 AA	6.0 - 7.5	8.91 on 7.0	24.49	11.0
C62937	225/50R16 92V	RBL	W112JTH864	360 AA	6.0 - 8.0	9.15 on 7.0	24.89	11.0
C62938	215/50R17 91V	RBL	W112JTH774	360 AA	6.0 - 7.5	9.34 on 7.0	25.46	11.0
C62939	225/50R17 94V	RBL	W112JTH874	360 AA	6.0 - 8.0	9.66 on 7.0	25.89	11.0
C62940	235/50R17 96V	RBL	W112JTH974	360 AA	6.5 - 8.5	9.91 on 7.5	26.30	11.0

Passenger



Premium H & V-Rated

- Efficiently moves water out of tread contact area for wet/winter handling and traction
- Spiral wound nylon overwrap improves uniformity and appearance
- Capable of sustaining speeds up to 130 or 149 mph

American Platinum

AMERICAN RADIALS

ITEM #	SIZE	SIDE WALL	COMMODITY CODE	UTQG	RIM WIDTH RANGE	SECTION WIDTH on MEASURING RIM WIDTH	OVERALL DIAMETER	TREAD DEPTH/32 ^{nds}
H-RATED								
C62917	185/65R15 88H	RBL	W112JUF454	420 AA	5.0 - 6.5	7.83 on 5.5	24.45	11.0
C62918	195/65R15 91H	RBL	W112JUF554	420 AA	5.5 - 7.0	8.02 on 6.0	24.97	11.0
C62919	205/65R15 94H	RBL	W112JUF654	420 AA	5.5 - 7.5	8.34 on 6.0	25.41	11.0
C62920	185/60R14 82H	RBL	W112JUE444	420 AA	5.5 - 6.5	7.48 on 5.5	22.73	11.0
C62921	195/60R14 86H	RBL	W112JUE544	420 AA	5.5 - 7.0	7.97 on 6.0	23.20	11.0
C62922	195/60R15 88H	RBL	W112JUE554	420 AA	5.5 - 7.0	8.03 on 6.0	24.20	11.0
C62923	205/60R15 91H	RBL	W112JUE654	420 AA	5.5 - 7.5	8.29 on 6.0	24.65	11.0
C62924	225/60R15 96H	RBL	W112JUE854	420 AA	6.0 - 8.0	8.97 on 6.5	25.56	11.0
C62925	205/60R16 92H	RBL	W112JUE664	420 AA	5.5 - 7.5	8.49 on 6.0	25.65	11.0
C62926	225/60R16 98H	RBL	W112JUE864	420 AA	6.0 - 8.0	9.08 on 6.5	26.56	11.0
C62927	235/60R16 100H	RBL	W112JUE964	420 AA	6.5 - 8.5	9.52 on 7.0	27.10	11.0
C62928	205/55R16 91H	RBL	W112JUG664	420 AA	5.5 - 7.5	8.95 on 6.5	24.86	11.0
C62929	215/55R16 93H	RBL	W112JUG764	420 AA	6.0 - 7.5	8.87 on 7.0	25.27	11.0
C62930	225/55R16 95H	RBL	W112JUG864	420 AA	6.0 - 8.0	9.29 on 7.0	25.77	11.0
C62931	235/55R17 99H	RBL	W112JUG974	420 AA	6.5 - 8.5	9.94 on 7.5	27.15	11.0
C62932	205/50R16 87H	RBL	W112JUH664	420 AA	5.5 - 7.5	8.32 on 6.5	24.09	11.0
V-RATED								
C62933	205/60R16 92V	RBL	W112JTE664	360 AA	5.5 - 7.5	8.40 on 6.0	25.65	11.0
C62934	195/55R15 85V	RBL	W112JTG554	360 AA	5.5 - 7.0	7.92 on 6.0	23.43	11.0
C62935	215/55R17 94V	RBL	W112JTG774	360 AA	6.0 - 7.5	9.46 on 7.0	26.31	11.0
C62936	215/50R16 90V	RBL	W112JTH764	360 AA	6.0 - 7.5	8.91 on 7.0	24.49	11.0
C62937	225/50R16 92V	RBL	W112JTH864	360 AA	6.0 - 8.0	9.15 on 7.0	24.89	11.0
C62938	215/50R17 91V	RBL	W112JTH774	360 AA	6.0 - 7.5	9.34 on 7.0	25.46	11.0
C62939	225/50R17 94V	RBL	W112JTH874	360 AA	6.0 - 8.0	9.66 on 7.0	25.89	11.0
C62940	235/50R17 96V	RBL	W112JTH974	360 AA	6.5 - 8.5	9.91 on 7.5	26.30	11.0

Passenger



Premium T-Rated

- Optimized tread compound balances wear and wet/winter traction
- Optimized bead contour for more uniform fit to rim and improved ride
- Capable of sustaining speeds up to 118 mph

American Platinum

AMERICAN RADIALS

ITEM #	SIZE	SIDE WALL	COMMODITY CODE	UTQG	RIM WIDTH RANGE	SECTION WIDTH on MEASURING RIM WIDTH	OVERALL DIAMETER	TREAD DEPTH/32 ND
	T-RATED							
C62899	185/70R14 88T	RBL	W112JRR444	620 AB	4.5 - 6.0	7.44 on 5.5	24.25	11.0
C62900	195/70R14 91T	RBL	W112JRR544	620 AB	5.0 - 6.5	8.05 on 6.0	24.80	11.0
C62903	185/65R14 86T	RBL	W112JRF444	620 AB	5.0 - 6.5	7.44 on 5.5	23.46	11.0
C62904	195/65R14 89T	RBL	W112JRF544	620 AB	5.5 - 7.0	7.91 on 6.0	24.02	11.0
C62905	185/65R15 88T	RBL	W112JRF454	620 AB	5.0 - 6.5	7.44 on 5.5	24.45	11.0
C62906	195/65R15 91T	RBL	W112JRF554	620 AB	5.5 - 7.0	7.91 on 6.0	25.00	11.0
C62907	205/65R15 94T	RBL	W112JRF654	620 AB	5.5 - 7.5	8.23 on 6.0	25.47	11.0
C62908	215/65R15 96T	RBL	W112JRF754	620 AB	6.0 - 7.5	8.70 on 6.5	26.02	11.0
C62909	205/65R16 95T	RBL	W112JRF664	620 AB	5.5 - 7.5	8.30 on 6.0	26.39	11.0
C62910	215/65R16 98T	RBL	W112JRF764	620 AB	6.0 - 7.5	8.79 on 6.5	26.92	11.0
C62911	185/60R15 84T	RBL	W112JRE454	620 AB	5.0 - 6.5	7.44 on 5.5	23.76	11.0
C62912	195/60R15 88T	RBL	W112JRE554	620 AB	5.5 - 7.0	7.91 on 6.0	24.21	11.0
C62913	215/60R15 94T	RBL	W112JRE754	620 AB	6.0 - 7.5	8.70 on 6.5	25.16	11.0
C62914	215/60R16 95T	RBL	W112JRE764	620 AB	6.0 - 7.5	8.92 on 6.5	26.07	11.0
C62915	225/60R16 98T	RBL	W112JRE864	620 AB	6.0 - 8.0	9.21 on 6.5	26.54	11.0
C62916	225/55R17 97T	RBL	W112JRG874	620 AB	6.0 - 8.0	9.20 on 7.0	26.76	11.0
C62902	215/70R15 98T	WSW	W612JRR754	620 AB	5.5 - 7.0	8.70 on 6.5	26.89	11.0
C62901	205/70R15 96T	WSW	WK12JRR654	620 AB	5.0 - 7.0	8.23 on 6.0	26.34	11.0